

I. CLAIMS

Claim 61 is currently amended. The following claims are pending and are presented below:

Listing of Claims:

1. (Currently Amended) A computerized method for securely authorizing and distributing stored-value card data over a communications network, the method comprising:
storing in a database a plurality of records comprising:
stored-value card data for each stored-value card, and
at least one of:
information identifying trusted sources for making stored-value card processing requests and
information identifying trusted communications networks for carrying or transmitting stored-value card processing requests,
wherein the database is coupled to a central processor;
~~transmitting~~ receiving at the central processor a request to activate, deactivate, reload, refresh, or refund ~~change the status of~~ a stored-value card over the communications network from a requesting merchant terminal having an associated merchant terminal identifier ~~to the central processor;~~
determining at the central processor at least one of:
whether the respective requesting merchant terminal is a trusted source of processing requests based on the merchant terminal identifier; and
whether the communications network is a trusted communications network for carrying or transmitting processing requests; and
~~processing the request~~ activating, deactivating, reloading, refreshing, or refunding at the central processor the stored value card based on the determining step.
- 2-7. (Canceled)

8. (Previously Presented) The computerized method of claim 1, wherein said stored-value card is selected from the group consisting of: a gift card, a prepaid gas card, a prepaid grocery card, a prepaid entertainment card, a card used for downloading ring tones, a card used for downloading software, a card used for downloading music files and a customer rewards card.

9-15. (Canceled)

16. (Original) The computerized method of claim 1 wherein the communications network is a dedicated data circuit, and the determining step is based on whether the dedicated data circuit is a trusted communications network.

17. (Currently Amended) The computerized method of claim 1 wherein the request to activate, deactivate, reload, refresh, or refund the stored value card is transmitted over the internet.

18. (Canceled)

19. (Currently Amended) The computerized method of claim 17 wherein the respective requesting merchant terminal has a static IP address, and the determining step is based on whether the static IP address is a trusted source of processing requests.

20. (Currently Amended) The computerized method of claim 17 wherein the respective requesting merchant terminal is assigned a static IP address, the respective requesting merchant terminal enters a password to access a network wherein the password is based on or identical to the static IP address, the merchant terminal communicates with the central processor using the static IP address, and the determining step is based on whether the static IP address is a trusted source of processing requests.

21. (Canceled)

22. (Currently Amended) The computerized method of claim 1 wherein the request is transmitted over a public switched telephone network and the respective requesting merchant terminal is determined to be a trusted source by performing a step selected from the group consisting of: identifying the telephone number used by the merchant terminal, and communicating an acceptable password or terminal ID to the central processor.

23-24. (Canceled)

25. (Previously Presented) The computerized method of claim 1 wherein each record stored in the database further includes a parameter corresponding to the value associated with each respective stored-value card selected from the group consisting of: parameters indicative of predefined time units, and parameters indicative of one or more predefined dollar values.

26. (Canceled)

27. (Currently Amended) The computerized method of claim 1 wherein the ~~processing request~~ request to activate, deactivate, reload, refresh, or refund a stored value card is a ~~request for changing a value~~ request to activate, deactivate, reload, refresh, or refund a stored value card associated with a respective stored-value card, the request transmitted to the central processor from a respective requesting merchant terminal, the central processor configured to accept the ~~change~~ request to activate, deactivate, reload, refresh, or refund a stored value card based on whether the respective identifiers stored in the record for the stored-value card ~~whose associated value is to be changed~~ match identifiers actually transmitted by the requesting merchant terminal for that stored-value card and merchant terminal.

28. (Currently Amended) The computerized method of claim 1 further comprising selectively encoding ~~the requests to for stored-value card~~ the requests to ~~activate[[ion]] or deactivate ion, and/or value change~~ based on a table of predefined codes stored in the database, the predefined codes being associated with respective user groups or locations.

29. (Currently Amended) The computerized method of claim 1 further comprising:

based on the determining step, assigning an identifier to the requesting merchant terminal and associating the identifier in the stored record to match the stored-value card with the respective merchant terminal.

30. (Canceled)

31. (Currently Amended) A computer-readable medium encoded with computer program code for securely authorizing and distributing stored-value card requests over a communications network, the program code causing a computer to execute a method comprising:

- controlling a database coupled to the central processor;
- storing in the database a plurality of records comprising:
 - stored-value card data for each stored-value card; and
 - information identifying trusted sources for making stored-value card processing requests and/or information identifying trusted communications networks for carrying or transmitting stored-value card processing requests;
- receiving a request to activate, deactivate, reload, refresh, or refund for changing the status of the stored-value card over a communications network from a requesting merchant terminal having an associated merchant terminal identifier to the central processor;
- determining at least one of:
 - whether the respective requesting merchant terminal is a trusted source of requests based on the merchant terminal identifier; and
 - whether the communications network is a trusted communications network for carrying or transmitting requests; and
- processing the request activating, deactivating, reloading, refreshing, or refunding at the central processor the stored value card based on the determining step.

32. (Canceled)

33. (Original) The computer-readable medium of claim 31 wherein the communications network is a dedicated data circuit, and the determining step is based on whether the dedicated data circuit is a trusted communications network.

34. (Original) The computer-readable medium of claim 31 wherein the request is transmitted over the internet.

35. (Canceled)

36. (Currently Amended) The computer-readable medium of claim 34 wherein the respective requesting merchant terminal has a static IP address, and the determining step is based on whether the static IP address is a trusted source of processing requests.

37. (Currently Amended) The computer-readable medium of claim 34 wherein the respective requesting merchant terminal enters a password to access a network, the merchant terminal is assigned a static IP address based on the password, the merchant terminal communicates with the central processor using the static IP address, and the determining step is based on whether the static IP address is a trusted source of processing requests.

38. (Canceled)

39. (Currently Amended) The computer-readable medium of claim 31 wherein the request is transmitted over a public switched telephone network and the respective requesting merchant terminal is determined to be a trusted source by performing a step selected from the group consisting of: identifying the telephone number used by the merchant terminal, and communicating an acceptable password or terminal ID to the central processor.

40-41. (Canceled)

42. (Currently Amended) A system for authorizing stored-value card requests over a communications network between a plurality of merchant terminals and a central processor, comprising:

a database coupled to the central processor;

a storage module configured to store in the database a plurality of records comprising:

stored-value card data for each stored-value card; and
information identifying trusted sources for making stored-value card processing requests and trusted communications networks for carrying or transmitting requests and/or information identifying trusted communications networks for carrying or transmitting stored-value card processing requests;

a value module configured to define in each stored record a parameter corresponding to the value of each respective stored-value card;

a first processing module configured to process a request from a respective requesting merchant terminal to the central processor, the central processor configured to accept the request based on whether the request originated from a trusted source and/or whether the request was transmitted or carried by a trusted communications network.

43. (Previously Presented) The system of claim 42, wherein said processing request is selected from the group consisting of: a request to change the status of the stored-value card, a request to activate the stored value card, a request to deactivate the stored value card, a request to change the value of the stored value card, a request to refresh the stored value card, and a request to redeem the value of the stored value card.

44. (Previously Presented) The system of claim 42, wherein the processing step is selected from the group consisting of: changing the status of the stored-value card, activating the stored-value card, deactivating the stored value card, changing the value of the stored value card, refreshing the stored value card, and redeeming the value of the stored value card.

45-49. (Canceled)

50. (Original) The system of claim 42 wherein the communications network is a dedicated data circuit, and the processing module is further configured to determine whether the dedicated data circuit is a trusted communications network.

51. (Original) The system of claim 42 wherein the request is transmitted over the internet.

52. (Canceled)

53. (Currently Amended) The system of claim 51 wherein the respective requesting merchant terminal has a static IP address, and the processing module is further configured to determine whether the static IP address is a trusted source of processing requests.

54. (Currently Amended) The system of claim 51 wherein the respective requesting merchant terminal enters a password to access a network, the merchant terminal is assigned a static IP address based on the password, the merchant terminal communicates with the central processor using the static IP address, and the processing module is further configured to determine whether the static IP address is a trusted source of processing requests.

55. (Canceled)

56. (Currently Amended) The system of claim 42 wherein the request is transmitted over a public switched telephone network and the processing module is further configured to determine whether the respective requesting merchant terminal is a trusted source by performing a step selected from the group consisting of: identifying the telephone number used by the merchant terminal, and communicating an acceptable password or merchant terminal ID to the central processor.

57-60. (Canceled)

61. (Currently Amended) The computerized method of claim 1, wherein said stored-value card is a card used for a purpose, selected from the group consisting of: downloading music files, downloading games, enabling long distance telephone communication, enables wireless communication, enables paging services, enables internet communication services, and enables wireless web access[[]].

62-67. (Canceled)

68. (Currently Amended) The computerized method of claim 1, further comprising: receiving at the central processor a request from a customer to add stored value to a customer account, the request including a first identifier, wherein the first identifier and the stored value are associated with the stored-value card, and wherein the customer account is managed by a provider; and

providing ~~from the central processor to the customer~~ a provider identifier associated with the provider to the customer, wherein the provider identifier is effective to add the associated stored value to the customer account.

69. (Currently Amended) The computerized method of claim 68, further comprising: establishing at the central processor communication between the customer and a provider communications system managed by the provider.

70. (Currently Amended) The computerized method of claim 69, ~~further comprising:~~ wherein the provider communications system is an IVR system.

71. (Previously Presented) The computerized method of claim 69, further comprising:

wherein the provider communications system is configured to add associated stored value to the customer's account after receiving the provider identifier from the customer.